

Tissue Box Series



23TBS1031 23TBS1032 23TBS1033 23TBS1034 23TBS1035 23TBS1036



23TBS1037 23TBS1038 23TBS1039 23TBS1040 23TBS1041 23TBS1042



23TBS1043 23TBS1044 23TBS1045 23TBS1046 23TBS1047 23TBS1048

STAINLESSCOMBINED CABINET



23SSC1001 23SSC1002 23SSC1003 23SSC1004

HAPPYLIFE INDUSTRY CORP. LTD



- High Speed Hand Dryer Series
- Hair Dryer Series
- Soap Dipenser Series
- Automatic Distinfecting Hand Cleaners Series
- Tissue Box Series





23HDY1001

Voltage	110-220V(50/60HZ)
Rated power	1200-1800W
Dry hands time	5-7second
Air speed	>95m/s
Water splash proof	lpx4
Dimensions	300x190x650mm



23HDY1002

Voltage	110-220V(50/60HZ)
Rated power	1200-1800W
Dry hands time	5-7second
Air speed	>95m/s
Water splash proof	lpx4
Dimensions	585x300x180mm



23HDY1003

Voltage	110-220V(50/60HZ)
Rated power	1650W
Dry hands time	7-9second
Air speed	> 90m/s
Water splash proof	lpx4
Dimensions	300x220x680mm



23HDY1004

Voltage	220-240V(50/60HZ)
Rated power	2000W
Dry hands time	5-7second
Air speed	>100m/s
Water splash proof	lpx4
Dimensions	290x220x685mm
Material	ABS



23HDY1005

Voltage	220V(50/60HZ)
Rated power	1200W
Dry hands time	10-12second
Air speed	30m/s
Dimensions	254x236x227mm
Hot temperature	40-50°C
Specifications	Cold and Hot/Only Hot



23HDY1006

Voltage	220-240V(50/60HZ)
Rated power	1800/2000W
Dry hands time	12second
Air speed	> 18m/s
Water splash proof	lpx2
Dimensions	240x300x240mm
Material	ABS



23HDY1007



23HDY1008



23HDY1009



23HDY1010

Voltage	110-220V(50/60HZ)
Rated power	1800W
Dry hands time	15s
Air speed	> 15m/s
Water splash proof	lpx4
Dimensions	240x240x210mm



23HDY1011

Dry hands time	10-15s
Hot temperature	40-50°C
Waterproof level	lpx4
Rated power	1200W
Rated voltage	220-240v/110-130v
Dimensions	233x182x282mm
Products NW	1.18kg
Cable wire length	90cm



23HDY1013

Voltage	220-240V(50/60HZ)
Rated power	2100W
Dry hands time	5-7second
Air speed	>95m/s
Water splash proof	lpx1
Dimensions	230x200x260mm
Material	Stainless Steel



23HDY1015

Voltage	110-220V(50/60HZ)
Rated power	1250W
Dry hands time	10s
Air speed	>80m/s
Water splash proof	lpx4
Dimensions	245x155x250mm



23HDY1012

Voltage	220-240V(50/60HZ)
Rated power	2100W
Dry hands time	5-7second
Air speed	> 95m/s
Water splash proof	lpx1
Dimensions	230x200x260mm
Material	ABS



23HDY1014

Dry hands time	8-10s
Hot temperature	45°C
Rated power	1100W
Air speed	90m/s
Induction distance	8-10cm
Cable wire length	80cm
Specifications	Cold and Hot
Dimensions	322x285x190mm



23HDY1016



23HDY1017



23HDY1018

Voltage	110-220V(50/60HZ)
Rated power	1800W
Dry hands time	5-7s
Air speed	>95m/s
Water splash proof	lpx4
Dimensions	290x170x320mm



23HDY1019

Voltage	220-240V(50/60HZ)
Rated power	1200W
Dry hands time	5-7second
Air speed	> 95m/s
Water splash proof	lpx1
Dimensions	248x190x250mm
Material	ABS



23HDY1020

Voltage	220-240V(50/60HZ)
Rated power	1650W
Dry hands time	12second
Air speed	> 18m/s
Water splash proof	lpx1
Dimensions	285x150x290mm
Material	ABS



23HDY1021

Voltage	220-240V(50/60HZ)
Rated power	1650W
Dry hands time	12second
Air speed	> 18m/s
Water splash proof	lpx1
Dimensions	220x160x270mm
Material	ABS



23HDY1022

Voltage	220-240V(50/60HZ)
Rated power	1650W
Dry hands time	12second
Air speed	> 18m/s
Water splash proof	lpx1
Dimensions	220x160x270mm
Material	Stainless steel



23HDY1023

Voltage	220-240V(50/60HZ)
Rated power	1650W
Dry hands time	12second
Air speed	> 18m/s
Water splash proof	lpx1
Dimensions	220x160x270mm
Material	Stainless steel



23HDY1024 23HDY1025



23HDY1026

Voltage	110-220V(50/60HZ)
Rated power	1250W
Dry hands time	8-12s
Air speed	> 80m/s
Water splash proof	lpx4
Dimensions	250x165x470mm



23HDY1027

Voltage	110-220V(50/60HZ)
Rated power	1250W
Dry hands time	8-12s
Air speed	> 80m/s
Water splash proof	lpx4
Dimensions	248x172x520mm



23HDY1028

Voltage	110-220V(50/60HZ)
Rated power	1250W
Dry hands time	8-12s
Air speed	> 80m/s
Water splash proof	lpx4
Dimensions	248x165x470mm



23HDY1030

Voltage	220-240V(50/60HZ)
Rated power	1200W
Dry hands time	5-7s
Air speed	> 95m/s
Water splash proof	lpx1
Dimensions	248x165x520mm
Material	ABS



23HDY1029

Voltage	110-220V(50/60HZ)
Rated power	1250W
Dry hands time	8-12s
Air speed	> 80m/s
Water splash proof	lpx4
Dimensions	248x165x470mm



23HDY1031

Voltage	220-240V(50/60HZ)
Rated power	1450W
Dry hands time	5-7s
Air speed	> 80m/s
Water splash proof	lpx4
Dimensions	251x158x471mm
Material	ABS



23HDY1032

Voltage	220-240V(50/60HZ)
Rated power	1200W
Dry hands time	5-7s
Air speed	> 95m/s
Water splash proof	lpx1
Dimensions	248x190x520mm
Material	ABS



23HDY1033

Voltage	220-240V(50/60HZ)
Rated power	1200W
Dry hands time	5-7s
Air speed	> 95m/s
Water splash proof	lpx1
Dimensions	248x165x520mm
Material	ABS



23HDY1034

Dry hands time	< 60s
Hot temperature	40-60°C
Material	Stainless steel 304+ABS
Rated power	1250W
Run voice	70-80dB
Products NW	3.5kg
Cable wire length	100cm



23HDY1035

Dry hands time	< 60s
Hot temperature	40-60°C
Material	Stainless steel 304+ABS
Rated power	1250W
Run voice	65-75dB
Products NW	3kg
Cable wire length	100cm





23HDY1036

Voltage	110-220V(50/60HZ)
Rated power	1000W
Dry hands time	8-12s
Air speed	> 80m/s
Water splash proof	lpx4
Dimensions	165x150x285mm
Material	ABS




23HDY1037

Voltage	110-220V(50/60HZ)
Rated power	1000W
Dry hands time	8-12s
Air speed	> 80m/s
Water splash proof	lpx4
Dimensions	165x150x285mm



23HDY1038

Voltage	110-220V(50/60HZ)
Rated power	1250W
Dry hands time	8-12s
Air speed	> 80m/s
Water splash proof	lpx4
Dimensions	240x165x240mm



23HDY1039

Voltage	110-220V(50/60HZ)
Rated power	1250W
Dry hands time	8-12s
Air speed	> 80m/s
Water splash proof	lpx4
Dimensions	240x170x250mm



23HDY1040

Voltage	110-220V(50/60HZ)
Rated power	800W
Dry hands time	15s
Air speed	> 15m/s
Water splash proof	lpx4
Dimensions	150x140x210mm



23HDY1041

Voltage	110-220V(50/60HZ)
Rated power	1400W
Dry hands time	8-12s
Air speed	> 80m/s
Water splash proof	lpx4
Dimensions	220x147x285mm



23HDY1042

Voltage	110-220V(50/60HZ)
Rated power	2300W
Dry hands time	8-12s
Air speed	> 80m/s
Water splash proof	lpx4
Dimensions	230x170x262mm



23HDY1043

Voltage	110-220V(50/60HZ)
Rated power	2300W
Dry hands time	8-12s
Air speed	> 80m/s
Water splash proof	lpx4
Dimensions	230x170x262mm



23HDY1044

Voltage	110-220V(50/60HZ)
Rated power	1800W
Dry hands time	5-7s
Air speed	> 95m/s
Water splash proof	lpx4
Dimensions	290x170x320mm



23HDY1046

Voltage	110-220V(50/60HZ)
Rated power	1250W
Dry hands time	8-12s
Air speed	> 80m/s
Water splash proof	lpx4
Dimensions	240x165x240mm



23HDY1049

Voltage	110-220V(50/60HZ)
Rated power	1800W
Dry hands time	15s
Air speed	> 15m/s
Water splash proof	lpx4
Dimensions	250x110x300mm



23HDY1051

Voltage	220-240V(50/60HZ)
Rated power	1200W
Dry hands time	5-7s
Air speed	> 95m/s
Water splash proof	lpx4
Dimensions	240x200x320mm
Material	Stainless Steel



23HDY1045

Voltage	110-220V(50/60HZ)
Rated power	1250W
Dry hands time	8-12s
Air speed	> 80m/s
Water splash proof	lpx4
Dimensions	255x170x270mm



23HDY1047

Voltage	110-220V(50/60HZ)
Rated power	1800W
Dry hands time	5-7s
Air speed	> 95m/s
Water splash proof	lpx4
Dimensions	290x170x320mm



23HDY1050

Voltage	220-240V(50/60HZ)
Rated power	1200W
Dry hands time	5-7s
Air speed	> 95m/s
Water splash proof	lpx1
Dimensions	240x200x300mm
Material	Stainless Steel



23HDY1052

Voltage	220-240V(50/60HZ)
Rated power	2300-2500W
Dry hands time	5-7s
Air speed	> 100m/s
Water splash proof	lpx4
Dimensions	260x210x230mm
Material	Matal





23HDY1053

Voltage	220-240V(50/60HZ)
Rated power	2300-2500W
Dry hands time	5-7s
Air speed	> 100m/s
Water splash proof	lpx4
Dimensions	260x210x230mm
Material	Stainless Steel



23HDY1054

Voltage	220-240V(50/60HZ)
Rated power	2300-2500W
Dry hands time	5-7s
Air speed	> 100m/s
Water splash proof	lpx4
Dimensions	260x210x230mm
Material	ABS



23HDY1055

Voltage	220-240V(50/60HZ)
Rated power	1200W
Dry hands time	8-10s
Air speed	> 23m/s
Water splash proof	lpx1
Dimensions	205x200x270mm
Material	Stainless steel



23HDY1056

Voltage	220-240V(50/60HZ)
Rated power	1500W
Dry hands time	12s
Air speed	> 18m/s
Water splash proof	lpx1
Dimensions	265x155x200mm
Material	ABS



23HDY1057

Voltage	220-240V(50/60HZ)
Rated power	1500W
Dry hands time	12s
Air speed	> 18m/s
Water splash proof	lpx1
Dimensions	265x155x200mm
Material	ABS



23HDY1058

Voltage	220-240V(50/60HZ)
Rated power	1500W
Dry hands time	12s
Air speed	> 18m/s
Water splash proof	lpx1
Dimensions	265x125x205mm
Material	Metal



23HDY1059

Voltage	220-240V(50/60HZ)
Rated power	1650W
Dry hands time	12s
Air speed	> 18m/s
Water splash proof	lpx1
Dimensions	250x150x285mm
Material	ABS



23HDY1060

Voltage	220-240V(50/60HZ)
Rated power	1000W
Dry hands time	12s
Air speed	> 18m/s
Water splash proof	lpx1
Dimensions	182x120x267mm
Material	ABS



23HDY1061

Voltage	220-240V(50/60HZ)
Rated power	850W
Dry hands time	12s
Air speed	> 18m/s
Water splash proof	lpx1
Dimensions	145x142x218mm
Material	ABS



23HDY1062

Voltage	220-240V(50/60HZ)
Rated power	1200W
Dry hands time	5-7s
Air speed	>100m/s
Water splash proof	lpx1
Dimensions	200x170x388mm
Material	ABS



23HDY1063

Voltage	220-240V(50/60HZ)
Rated power	1200W
Dry hands time	5-7s
Air speed	>95m/s
Water splash proof	lpx4
Dimensions	220x103x390mm
Material	ABS



23HDY1064

Voltage	220-240V(50/60HZ)
Rated power	1200W
Dry hands time	5-7s
Air speed	>95m/s
Water splash proof	lpx4
Dimensions	234x144x390mm
Material	ABS



23HDY1065

Voltage	220-240V(50/60HZ)
Rated power	2000W
Dry hands time	5-7second
Air speed	>95m/s
Water splash proof	lpx1
Dimensions	350x213x503mm
Material	ABS



23HDY1066

Voltage	220-240V(50/60HZ)
Rated power	1200W
Dry hands time	5-7second
Air speed	95m/s
Water splash proof	lpx1
Dimensions	295x165x325mm
Material	Stainless steel



23HDY1067

Voltage	220-240V(50/60HZ)
Rated power	1200W
Dry hands time	5-7second
Air speed	>95m/s
Water splash proof	lpx1
Dimensions	160x176x356mm
Material	Stainless steel



Hair Dryer Series



23HDY2001

Voltage	220-240V(50/60HZ)
Rated power	1200W
Air speed	>11m/s
Water splash proof	lpx1
Temperature	65+-15°C



23HDY2002

Voltage	220-240V(50/60HZ)
Rated power	1200W
Air speed	>11m/s
Water splash proof	lpx1
Temperature	65+-15°C



23HDY2003

Voltage	110-220V(50/60HZ)
Rated power	1200W
Air speed	>11m/s
Water splash proof	lpx1
Dimensions	250x120x240mm



23HDY2004

Voltage	110-220V(50/60HZ)
Rated power	1200W
Air speed	>11m/s
Water splash proof	lpx1
Dimensions	250x120x240mm



23HDY2005

Voltage	110-220V(50/60HZ)
Rated power	1200W
Air speed	>11m/s
Water splash proof	lpx1
Dimensions	240x195x205mm



23HDY2006



23HDY2007

Voltage	110-220V(50/60HZ)
Rated power	1200W
Air speed	>11m/s
Water splash proof	lpx1
Dimensions	285x220x120mm



23HDY2008

Voltage	110-220V(50/60HZ)
Rated power	1200W
Air speed	>11m/s
Water splash proof	lpx1
Dimensions	350x255x305mm



Hair Dryer Series



23HDY2009

Voltage	110-220V(50/60HZ)
Rated power	1200W
Air speed	>11m/s
Water splash proof	lpx1
Dimensions	350x255x305mm



23HDY2011

Voltage	110-220V(50/60HZ)
Rated power	1200W
Air speed	>11m/s
Water splash proof	lpx1
Dimensions	285x220x120mm



23HDY2010

Voltage	110-220V(50/60HZ)
Rated power	1200W
Air speed	>11m/s
Water splash proof	lpx1
Dimensions	300x120x150mm



23HDY2012

Voltage	110-220V(50/60HZ)
Rated power	300-850W
Air speed	>11m/s
Water splash proof	lpx1
Dimensions	185x95x220mm



23HDY2013

Voltage	220-240V(50/60HZ)
Rated power	300-850W
Air speed	>11m/s
Water splash proof	lpx1
Dimensions	185x95x220mm



23HDY2014

Voltage	220-240V(50/60HZ)
Rated power	300-850W
Air speed	>11m/s
Water splash proof	lpx1
Dimensions	185x95x220mm



23HDY2015

Voltage	220-240V(50/60HZ)
Rated power	1100W
Air speed	>11m/s
Water splash proof	lpx1
Dimensions	95x155x210mm



23HDY2016

Voltage	220-240V(50/60HZ)
Rated power	1100W
Air speed	>11m/s
Water splash proof	lpx1
Dimensions	100x140x200mm



Series



23HDY2017

Voltage	220-240V(50/60HZ)
Rated power	1100W
Air speed	>11m/s
Water splash proof	lpx1
Dimensions	180x110x240mm



23HDY2018

Voltage	220-240V(50/60HZ)
Rated power	1100W
Air speed	>11m/s
Water splash proof	lpx1
Dimensions	200x100x170mm



23HDY2019

Voltage	220-240V(50/60HZ)
Rated power	1100W
Air speed	>11m/s
Water splash proof	lpx1
Dimensions	115x150x320mm



23HDY2020

Voltage	220-240V(50/60HZ)
Rated power	1100W
Air speed	>11m/s
Water splash proof	lpx1
Dimensions	100x120x180mm



23HDY2021

Voltage	220-240V(50/60HZ)
Rated power	1100W
Air speed	>11m/s
Water splash proof	lpx1
Dimensions	115x145x200mm



Automatic Distinfecting Hand Cleaners Series



23SA5001 23SA5002 23SA5003 23SA5004 23SA5005 23SA5006 23SA5007 23SA5008 23SA5009



23SA5010 23SA5011 23SA5012 23SA5013 23SA5014 23SA5015 23SA5016 23SA5017 23SA5018

Automatic Distinfecting Hand Cleaners Series

Soap Dipenser Series



23SA5019 23SA5020 23SA5021 23SA5022 23SA3051 23SA3051 23SA3052 23SA3053 23SA3054



23SA3055 23SA3056 23SA3057 23SA3058 23SA3059 23SA3060 23SA3061 23SA3062



23SA3063 23SA3064 23SA3065 23SA3066 23SA3067 23SA3068 23SA3069 23SA3070



23SA3071 23SA3072 23SA3073 23SA3074 23SA3075 23SA3076 23SA3077 23SA3078




23SA3079 23SA3080 23SA3081 23SA3082 23SA3083 23SA3084 23SA3085 23SA3086



23SA3087 23SA3088 23SA3089 23SA3090 23SA3091 23SA3092 23SA3093 23SA3094 23SA3095

Soap Dispenser Series



Tissue Box Series

